| Ref<br>#  | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|-----------|------|---|---|---------------------|---------|------------------|
| S1        | 6    | computer and applet and html and (input near pad)                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:19 |
| <b>S2</b> | 6369 | computer and applet and html                                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:19 |
| S3        | 21   | S2 and (storage near database)<br>and (electronic near signature) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:23 |
| S4        | 1    | S2 and (storage near database) and (digital near5 bitmap)         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:23 |
| S5        | 16   | (digital near5 bitmap) and applet and signature                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:24 |
| S6        | 15   | S5 not S4   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:30 |
| S7        | 1    | "6332030".PN.   | USPAT;<br>USOCR   | OR                  | ON      | 2005/01/28 14:26 |
| S8        | 0    | pen near5 mouce   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:30 |
| S9        | 6655 | pen near5 mouse   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:32 |
| S10       | 79   | S9 and S9 and (html same applet)                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/28 14:31 |

| S11 | 6655 | " pen" near5 mouse  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:33 |
|-----|------|---|---|---------|----|------------------|
| S12 | 1172 | pen-like .  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR<br>- | ON | 2005/01/28 14:33 |
| S13 | 327  | S12 and mouse   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:33 |
| S14 | 33   | S13 and sign\$4 and html  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:38 |
| S15 | 15   | collect\$4 near10 (authoriz\$5 same info\$6)                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:47 |
| S16 | 7    | (input near device) and (form near10 (authoriz\$5 same info\$6))    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:50 |
| S17 | 3128 | database same (authoriz\$5 near10 (data or info))                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:51 |
| S18 | 3    | S17 and (fitting near5 algorithm)                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:51 |
| S19 | 2799 | S17 and (stor\$5 near10 (data or signature or info or credentials)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:53 |
| S20 | 532  | S19 and (display near device)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON | 2005/01/28 14:54 |

| S21 | 135 | S20 and script  | US-PGPUB;<br>USPAT;<br>EPO; JPO;                        | OR | ON | 2005/01/28 14:56 |
|-----|-----|---|---|----|----|------------------|
|     |     |   | DERWENT;<br>IBM_TDB                                     |    |    |                  |
| S22 | 494 | submit\$5 near15 signature  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 14:56 |
| S23 | 104 | S22 and (submit\$5 near10 form)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 14:56 |
| S24 | 13  | S23 and ((input and display) near device)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 14:57 |
| S25 | 73  | S22 and ((input and display) near device)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 14:57 |
| S26 | 17  | S25 and html  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:06 |
| S27 | 7   | (input near device) and (software<br>near applet) and (receiv\$6 near20<br>(signature or indici or (user near<br>credentials))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:19 |
| S28 | 1   | "6193152".PN.   | USPAT;<br>USOCR   | OR | ON | 2005/01/28 15:10 |
| S29 | 1   | "5650604".PN.   | USPAT;<br>USOCR   | OR | ON | 2005/01/28 15:11 |
| S30 | 2   | "5647017".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:20 |
| S31 | 2   | "5892824".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:21 |

|     |       |  | <del></del>   |    |    |                  |
|-----|-------|--|---|----|----|------------------|
| S32 | 2     | "5946406".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:22 |
| S33 | 2     | "5974161".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:22 |
| S34 | 2     | "6002783".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:23 |
| S35 | 2     | "6055513".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:52 |
| S36 | 2     | fingerprint and (hand-written near signature) and html | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:52 |
| S37 | 2     | "5657389".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 15:54 |
| S38 | 1     | "5466918".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 15:54 |
| S39 | 41    | fingerprint and (hand-written near5 signature)         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:00 |
| S40 | 14    | S39 and (on-line or (computer near network))           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:06 |
| S41 | 10876 | (authentication near5 server)                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:06 |

| S42   | 911   | S41 and (fingerprint or finger-print or (finger near print))                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:07 |
|-------|-------|--|---|----|----|------------------|
| S43   | 101   | S42 and (send\$4 near10 form)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:15 |
| S44 . | 53480 | (data near10 (receiv\$5 and process\$5 and retriev\$5)) and (storage or database)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:48 |
| S45   | 15    | S44 and ((get\$4 or collect\$5 or gather\$5) same (user near credentials)) and register\$5 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:18 |
| S46   | 7402  | S44 and html   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 16:54 |
| S47   | 144   | S44 and (html near frames)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/28 17:04 |
| S48   | 1     | "5796952".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 16:56 |
| S49   | 1     | "5805815".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 16:56 |
| S50   | 1     | "5790798".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 16:56 |
| S51   | 1     | "6233620".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:03 |
| S52   | 13    | captur\$5 near10 (hand-written near signature)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 08:06 |
| S53   | 1     | "6265706".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:08 |
| S54   | 1     | "6151611".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:08 |
| S55   | 1     | "5969711".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:09 |

| CEC |        | UEOE 240 4U DN   | LICDAT:   | OD | ON | 2005/01/20 17:10 |
|-----|--------|--|---|----|----|------------------|
| S56 | 1      | "5953494".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:10 |
| S57 | 1      | "5850214".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:11 |
| S58 | 1      | "5939702".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/28 17:12 |
| S59 | 2      | "6064751".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 08:09 |
| S60 | 142912 | ((identif\$5 or authenticat\$5) near15 (user or client or machine)) or (validat\$5 near5 idnetity) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 08:11 |
| S61 | 15280  | S60 and (id and password)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 08:12 |
| S62 | 1251   | S61 and HTML and (java near10 applet)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 08:12 |
| S63 | 169    | S62 and (fingerprint or (phyiscal near5 characteristic))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 08:18 |
| S64 | 125    | S63 and (order\$5 same (product or service))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 09:49 |
| S65 | 639231 | data near10 receiv\$5  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 09:50 |
| S66 | 0      | S65 and ((contol\$5 near10 pointer) same (display near5 device))                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 10:41 |
| S67 | 15229  | S65 and (mouse same (display near5 device))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 10:42 |

|     |      |  | T   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S68 | 5    | S67 and (hand-written near5 signature)                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 10:54 |
| S69 | 1    | "6167518".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/31 10:43 |
| S70 | 1    | "6189009".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/31 10:44 |
| S71 | 1    | "6085322".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/31 10:48 |
| S72 | 1    | "6091835".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/31 10:52 |
| S73 | 1    | "6085321".PN.  | USPAT;<br>USOCR   | OR | ON | 2005/01/31 10:52 |
| S74 | 15   | (captur\$5 same (hand-written near5 signature))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:42 |
| S75 | 3790 | interface near mechanism   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:43 |
| S76 | 155  | S75 and (java near applet)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:50 |
| S77 | 0    | S76 and (signature near pad)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:43 |
| S78 | 10   | S76 and compress\$5 and bitmap   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:53 |
| S79 | 1    | ((java near5 applet) same<br>(configur\$5 near10 (input near<br>pad))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:54 |
| S80 | 1    | ((java near5 applet) same (input near10 signature))                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:55 |

| S81 | 118 | ((java near5 applet) same<br>signature)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:55 |
|-----|-----|--|---|----|----|------------------|
| S82 | 117 | S81 not S80  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:55 |
| S83 | 10  | S82 and bitmap   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:56 |
| S84 | 1   | S82 and (receiv\$5 and process\$4 and retreiv\$5 and stor\$5)                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:57 |
| S85 | 84  | S82 and (receiv\$5 and process\$4 and retriev\$5 and stor\$5)                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 11:58 |
| S86 | 0   | "I23" and (hand-written near10 signature)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/31 13:52 |
| S87 | 3   | (hand-written near10 signature)<br>and (java near5 applet)                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 10:26 |
| S88 | 0   | (hand-written near10 signature)<br>and (download\$5 near10 (java<br>near5 applet)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 10:27 |
| S89 | 312 | (password and id) and<br>(download\$5 near10 (java near5<br>applet))               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 10:27 |
| S90 | 186 | S89 and mice   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:19 |

| S91      | 312 | (password and id) and<br>(download\$5 near10 (java near5<br>applet))              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:19 |
|----------|-----|---|---|----|----|------------------|
| S92      | 186 | S91 and mice  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:19 |
| S93      | 0   | S92 and (matrix near5 grid)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:20 |
| S94      | 15  | S92 and ( grid)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:23 |
| S95      | 2   | S92 and (compress\$5 and (pixel near5 coordinate))                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:38 |
| S96      | 250 | ((hand-written or on-line) near10 signature) and (grid or pixel)                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:52 |
| S97      | 2   | S96 and (software near5 applet)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:40 |
| S98      | 3   | S96 and ( applet)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:40 |
| S99      | 178 | ((hand-written or on-line) near10<br>signature) and (grid or pixel) and<br>bitmap | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 14:53 |
| S10<br>0 | 28  | S99 and (mice or mouce) and (display near device)                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/02/01 15:33 |

| S10<br>1 | 2    | "5657389".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/01 15:43 |
|----------|------|---|---|------|----|------------------|
| S10<br>2 | 230  | fingerprint and (pixel near coordinates)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/01 15:44 |
| S10<br>3 | 1    | S102 and (handwritten near signature)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 12:49 |
| S10<br>4 | 3440 | Html and (touch near10 screen)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2005/02/02 12:51 |
| S10<br>5 | 307  | S104 and (fingerprint or (finger near print) or finger-print)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 12:51 |
| S10<br>6 | 40   | S104 and (hand-written or (hand near written))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 12:52 |
| S10<br>7 | 2    | S104 and ((hand-written or (hand near written)) same signature)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 12:52 |
| S10<br>8 | 111  | S104 and ((physical or<br>hand-written or (hand near<br>written)) same signature)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 13:00 |
| S10<br>9 | 359  | (input near device) and (mice or<br>mouce) and ((physical or<br>hand-written or (hand near<br>written)) same signature) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 13:11 |
| S11<br>0 | 9    | S109 and (receiv\$5 near10 region)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2005/02/02 13:03 |

| S11<br>1 | 97 | (input near device) and (mice or<br>mouse) and ((physical or<br>hand-written or (hand near<br>written)) same signature) and | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT; | OR | ON | 2005/02/02 13:11 |
|----------|----|---|--|----|----|------------------|
|          |    | (pen near15 input)  | IBM_TDB                                      |    |    |                  |